

2014 Fiat 500L: Safety & Security

June 27, 2013, Auburn Hills, Mich. - At FIAT brand, safety is a priority, and this objective has enabled the all-new 2014 Fiat 500L to integrate advanced safety technology that affords the level of driving confidence today's conscientious consumer demands
Seven standard air bags and reactive head restraints.

The all-new 2014 Fiat 500L features an air bag system, which offers unique protection for its passengers, designed to meet the rigorous U.S. regulatory requirements. Its seven standard air bags include: driver and front-passenger advanced multistage air bags, driver's knee air bag, full-length side-curtain air bags and standard seat-mounted side pelvic-thorax air bags, all to offer enhanced occupant protection in the event of a collision.

Reactive head restraints, which activate during a rear impact, are another innovation helping minimize injuries by reducing the gap between the head restraint and the front passengers' heads (driver and front passenger seating positions).

Electronic stability control

The Fiat 500L features standard electronic stability control (ESC) proven to help avoid collisions in inclement weather and reduce driver errors.

Behind the scenes, the ESC system is ready to intervene by integrating key chassis control systems, including electronic brake-force distribution (EBD), anti-lock brake system (ABS) and traction control systems, to control all four wheels in response to yaw and steering input.

In effect, ESC determines the driver's intentions and adjusts the vehicle's dynamic forces to maintain the driver's intended course. Should the driver exceed the performance limits of the road surface — such that the vehicle starts to oversteer or understeer — ESC instantly analyzes input from the wheel sensors and corrects the pending loss of control by applying any one, several or all of the system's brakes.

Parkview rear backup camera

Providing a wide-angle view of the area immediately behind the vehicle through the Fiat 500L's all-new Uconnect 5.0 or 6.5 touchscreen, the ParkView rear backup camera gives the driver greater peace of mind before backing up. The image is automatically displayed on the touchscreen when the transmission is shifted into Reverse and provides gridlines to help the driver gauge distances.

MORE THAN 40 AVAILABLE SAFETY AND SECURITY FEATURES

The following is a list of the 2014 Fiat 500L's more than 40 available safety and security features, which include:

1. Active turn signals: Turn signal flashes three times when stalk is depressed for one second to indicate a lane change (standard)
2. Advanced multistage air bags: Inflate with a force appropriate to the severity of the impact. In addition, Fiat 500L's unique driver's air bag design includes tethers to shape the air bag. The passenger air bag has a unique air bag venting system, allowing two vents on both sides of the air bag to remain open while the air bag is fully inflating (standard)
3. All-speed traction control: Helps to keep driving wheels from spinning during acceleration from a stop or during all speeds by applying individual brakes alone or in combination with engine torque limitation to prevent wheel slip (standard)
4. Anti-lock brake system (ABS): Senses and prevents wheel lockup, offering improved steering control under extreme braking and/or slippery conditions (standard)

5. Auto-dimming rearview mirror: Detects and reduces glare from rearward headlamps without driver intervention
6. BeltAlert: Activates a chime and/or illuminates an icon in the instrument cluster to remind the driver and front passenger to buckle up if the vehicle is driven without belted front-seat occupants (standard)
7. Bi-halogen projector headlamps: Provide wider, more focused light spread and improve forward visibility at night (standard)
8. Brake Assist: In an emergency brake situation, the system applies maximum braking power, minimizing the stopping distance (standard)
9. Brake Override: When a disagreement exists between the throttle and the brake, the brake signal causes the engine controller to reduce engine power, allowing the operator to stop the vehicle (standard)
10. Brake/Park interlock: Prevents a Fiat 500L with six-speed automatic transmission from being shifted out of Park unless the brake pedal is applied (standard)
11. Brake-traction control system (BTCS): Helps to keep driving wheels from spinning during acceleration from a stop or during slow speeds by applying individual brakes to the slipping wheel(s) (standard)
12. Cap-less fuel-filler door: Provides fuel-filling simplicity and eliminates contact with any fuel spillage (standard)
13. Child door locks: Allows the Fiat 500L's rear doors to open only from the exterior door handle when unlocked (standard)
14. Child seat anchor system: LATCH (Lower Anchors and Tethers for CHildren) is designed to ease installation of compatible aftermarket child seats (standard)
15. Degressive Load Limited Retractors: Regulate the force exerted on the occupant by the seat belt and then gradually release seat belt webbing in a controlled manner. The system features a degressive load limiter for the driver and the front passenger (standard)
16. Crumple zones: Designed to deform during an accident in order to absorb energy from an impact, which decreases transfer of that energy to occupants (standard)
17. Daytime running lamps (DRL): Provide additional forward illumination for improved vehicle awareness
18. Electronic stability control (ESC): Enhances driver control and helps maintain directional stability under all conditions. Provides the benefit in critical driving situations, such as turns, and is valuable when driving on mixed-surface conditions, including snow, ice or gravel. If there is a discernible difference between driver input through the steering wheel and the Fiat 500L's path, ESC applies selective braking and throttle input to guide the vehicle back on to the driver's intended path (standard)
19. Energy management system: Three front load paths designed from high-strength steel manage vehicle crush and minimize cabin intrusion (standard)
20. Express down windows: One-touch powered express down window button located on the door (standard)
21. Full-length side-curtain air bags: Extend protection to all outboard front- and rear-seat passengers. Each side air bag has its own impact sensors that autonomously trigger the air bag on the side where an impact occurs. Air bags are designed to offer protection of occupants. This type of air bag is housed in the headliner just above the side windows (standard)
22. Head restraints: Includes all seating positions (standard)
23. Hill-start Assist (HSA): Assists drivers when starting a vehicle from a stop on a hill by maintaining the level of brake pressure applied for a short period of time after the driver's foot is removed from the brake pedal. If throttle is not applied within a short period of time after the driver's foot is removed from the brake pedal, brake pressure will be released (standard)
24. Knee air bag (driver's side): Located below the instrument panel, an air bag deploys when the driver's air bag deploys and is designed to properly position the occupant during impact and offer additional lower leg protection (standard)
25. Navigation: Uconnect 5.0 or 6.5 with GPS navigation features real-time traffic, real-time weather updates and more than 7 million points of interest
26. Occupant restraint controller (ORC): Detects an impact and determines whether a crash is severe enough to trigger air bag deployment and whether the primary or secondary stage inflation is sufficient. In addition, the controller detects side impacts and determines whether the rail-curtain and side seat-mounted (pelvic-thorax-shoulder) air bags should deploy. Engagement of front seat belt pretensioners are also managed through the controller (standard)
27. ParkSense rear park assist system: Assists at low speeds in Reverse to detect stationary objects. Consists of audible warnings for the driver and has a display in the instrument cluster's Electronic

Vehicle Information Center (EVIC)

28. ParkView rear backup camera: Provides a wide-angle view on the Uconnect screen of the area immediately behind the vehicle, giving the driver greater peace of mind before reversing at low speeds. The display features gridlines to aid the driver when maneuvering into parking spaces or narrow areas when the transmission is shifted into Reverse
29. Reactive head restraints: Activate in the event of a rear collision. Restraints are designed to reduce injuries by minimizing the gap between the driver and front-passenger head restraint and the passenger's head (standard)
30. Remote keyless entry: Locks and unlocks doors and turns on interior lamps. If the vehicle is equipped with the optional security alarm, the remote also arms and disarms that system (standard)
31. Safety cage body structure: Protects occupants by managing and controlling energy in the event of an impact (standard)
32. Seat belt pretensioners: During a collision, impact sensors initiate front seat belt pretensioners to remove slack in the seat belt system, thereby maximizing the efficiency of the restraint system, reducing the forward movement of the occupant's body (standard)
33. Sentry Key engine immobilizer: Uses a key fob that has an embedded transponder with a preprogrammed security code to shut off the engine after a few seconds and discourage vehicle theft (standard)
34. Seat-mounted side pelvic-thorax air bags: Provide enhanced protection to the driver and front outboard passenger in certain impacts. Each side air bag has its own impact sensors that autonomously trigger the air bag on the side where an impact occurs. Standard side air bags are housed within the outboard side of each front seat (standard)
35. Side-curtain air bags: Provide enhanced protection to all outboard occupants (standard)
36. Side guard door beams: Provide occupant protection during a side impact (standard)
37. Supplemental turn signals: Located on the front fenders, the turn signals provide better notification to other drivers that the driver is about to make a turn or lane change (standard)
38. Three-point seat belts: Front seating positions and all rear seating positions have lap and shoulder belts (standard)
39. Tilt and telescoping steering column: Allows steering column to achieve a safe and comfortable driving position (standard)
40. Tire-pressure monitoring (TPM): Informs driver when tire pressure is too low. Pressure-sensor modules within the valve stems of all four road wheels send continuous radio-frequency signals to a receiver and the system. Individual tire pressure can be displayed in the EVIC (standard)
41. Uconnect 5.0 or 6.5: Integrates world-class entertainment and convenience technologies to keep passengers connected, comfortable and safe (standard)
42. Vehicle theft security alarm: Deters vandalism and theft, frequently lowering insurance premiums. System protects the vehicle from theft by monitoring door-ajar switches and the ignition circuit for unauthorized entry (standard)
43. Voice Command: An in-vehicle, voice-activated communication system that allows drivers to operate a Bluetooth compatible phone with their hands on the wheel and eyes on the road. When the Bluetooth phone is initially connected, the contact list is automatically downloaded, synchronizing as many as 1,000 phone book entries, which can then be selected by simply saying a contact name (standard)

-###-

Additional information and news from Stellantis are available at: <https://media.stellantisnorthamerica.com>